

3D Bare-Eye Solution

3D Bare-Eye Content Development and Signage Solution

- 3D Content Development Kit
- 3D BroadCast Kit



3D Content Development Kit

CPU	Intel® Core i5-6500, 4C/4T, Boost to 3.6GHz, L2=6GB
Graphic	NVIDIA GTX1050Ti (4GB GDDR5) or GTX1070Ti
Storage	2.5" SATA SSD 256GB
Power Input	AC 100 ~ 240V, 50 ~ 60Hz
Power Consumption	Avg.190 watts
Power	Input – 100 ~ 240V AC, 50 ~ 60Hz
Resolution	3840 x 2160
Color	Black
Brightness	400 cd/m2 (Typical)
Type	Landscape
Housing	Metal
Screen Diagonal	65"/55"
Display Area	1209.6(H) x 680.4(V) mm
Pixel Arrangement	RGB vertical stripe
Number of View	9 views
3D Filter Type	Lenticular
Best Viewing Distance	3.0 m~8.0 m
Input Signal	HD Video Output 1.4 x 1, DP 1.4 x 1
OS Support	Win 10 64bit
Viewing Angle	120°
Memory	DDR4 SO-DIMM 8GB

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E.Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

3D Bare-Eye Solution

I/O	1 x Audio 5.1 line out, 4 x USB 2.0 + 2 x USB 3.0, 4 x RS232, 2 x LAN (RJ45) PXE support, Optional 8 x 1Gbps Ethernet, Optional 3 x USB 3.0
Integrated SDK	Unity 2018.2 + EFCO SDK
3D BroadCast Kit	
CPU	Intel® Pentium
Graphic	NVIDIA GTX1050Ti (4GB GDDR5)
Storage	2.5" SATA SSD 64GB
Power Input	AC 100 ~ 240V, 50 ~ 60Hz
Power Consumption	Avg. 150 watts
Power	Input – 100 ~ 240V AC, 50 ~ 60Hz
Resolution	3840 x 2160
Color	Black
Brightness	400 cd/m2 (Typical)
Type	Landscape
Housing	Metal
Screen Diagonal	65"/55"
Display Area	1428.48(H) x 803.52(V) mm
Pixel Arrangement	RGB vertical stripe
Number of View	9 views
3D Filter Type	Lenticular
Best Viewing Distance	3.0 m~8.0 m
Input Signal	HD Video Output 1.4 x 1, DP 1.4 x 1
OS Support	Windows, Linux (Optional)
Viewing Angle	120°
Memory	DDR4 SO-DIMM 8GB
I/O	1 x Audio 5.1 line out, 4 x USB 2.0 + 2 x USB 3.0, 4 x RS232, 2 x LAN (RJ45) PXE support, Optional 8 x 1Gbps Ethernet, Optional 3 x USB 3.0
Integrated SDK	N/A

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E.Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

3D Bare-Eye Solution

Model	Description
EF-DCDK65/55	<ul style="list-style-type: none">• 65" or 55" of 3D Display with Content Development Kit
EF-DSD65/55	<ul style="list-style-type: none">• 65" or 55" of 3D Display with Playback System

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

3D Bare-Eye Solution

Feature Title


Panels are a great tool to compare offers or to emphasize on key features. To compare products, use the inside columns.

Feature Title

Panels are a great tool to compare offers or to emphasize on key features. To compare products, use the inside columns.

A Punchy Headline

Dimensions



A Small Subtitle

Choose a vibrant image and write an inspiring paragraph about it. It does not have to be long, but it should reinforce your image.

[Contact us »](#)

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

