

EGL8300



Features

- Support 3 x Full HD Displays
- AMD R Series Dual or Quad Core up to 3.4GHz
- Integrated AMD GPU Radeon™ Series
- 2 x DDR4 SO-DIMM, up to 16GB
- 1 x SATA with Pin 7 VCC + SmartBay®
- 3 x DP
- Modular I/O design
- Long lifetime support to 2025

System

CPU	AMD GX-217GI 1.7GHz Dual Core, 1MB L2 cache AMD RX-421BD 2.1GHz Quad Core, 2MB L2 cache
Graphic	Integrated AMD GPU HD10000 series
Main Memory	2 x DDR4-2133 SO-DIMM socket max. up to 16GB
Storage	1 x SATAII standard SATA connector with pin7 power 1 x SATA bay (15P + 7P) on bottom side
System Memory	2 x DDR4 SO-DIMM, up to 16GB
Graphic (GPU)	AMD RX-421BD: R7 AMD GX-217GI: R6

I/O

Display	3 x Display Port connector
Audio	1 x three layers 3.5mm audio jack
USB	2 x USB 3.0 Port 2 x USB 2.0 Port
Serial	4 x DB9 connector
Ethernet	2 x RJ45
GPIO	SQIO
Power	1 x DC in (+12V 5A)

Environment & Mechanical

Power Consumption	60W
Power Supply	DC +12V 5A
Operating Temperature	0°C to +60°C

Certification & Optional OS Installation

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E.Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL8300

OS	Win 7(E) 32 or 64 bit Win 8(E) 32 or 64 bit Win 10(E) 32 or 64 bit Linux 3.10.0+
Dimension(W x D x H)	330.5mm x 238.5mm x 72mm
Gaming Premium Control	
Backup Battery	1 x rechargeable Ni-MH Battery
Auxiliary Gaming Controller	YES
Secure RTC	YES
Security	Infineon TPM
Intrusion Logger	Support at last 4 events with time stamp for every bit
NVRAM	YES

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL8300

Model	Description
EGL8300-2	<ul style="list-style-type: none">• AMD GX-217GI 1.7GHz Dual Core, 1MB L2 cache• 2 x DDR4 SO-DIMM, up to 16GB• SmartBay Supports CFAST, CF, 2.5"/1.8" SSD, SATA DOM and USB drive with key lock option
EGL8300-4	<ul style="list-style-type: none">• AMD RX-421BD 2.1GHz Quad Core, 2MB L2 cache• 2 x DDR4 SO-DIMM, up to 16GB• SmartBay Supports CFAST, CF, 2.5"/1.8" SSD, SATA DOM and USB drive with key lock option

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice